

What is claimed is:

- 1 1. A foldable chair comprising:
 - 2 a reclining back having a pair of support members;
 - 3 a pair of joint assemblies connected to said support members of said reclining back,
 - 4 each joint assembly having a through hole for receiving a support member, and a
 - 5 control device for engaging and disengaging with a lower end of said support member
 - 6 to control a reclining angle of said reclining back;
 - 7 a leg assembly connected to said joint assemblies; and
 - 8 a pair of armrests each connecting a support member to an extension of said leg
 - 9 assembly;
 - 10 wherein said leg assembly has a plurality of leg members pivotally connected by
 - 11 pivotal pins and joined together by joint connectors, said leg assembly being
 - 12 collapsible and forming a seat support frame when said leg assembly is fully opened.
- 1 2. The foldable chair according to claim 1, wherein said joint assembly further
 - 2 comprises a through channel connected to said through hole, and said control device
 - 3 further comprises:
 - 4 a control button;
 - 5 a spring member disposed in said through channel; and
 - 6 an adjustment block having a handle passing through said spring member and a side
 - 7 opening of said through channel to connect to said control button;
 - 8 wherein said adjustment block is engaged with a saw-tooth member formed on said

lower end of said support member when said control button is in a normal position,
and said adjustment block is disengaged with said saw-tooth member when said
control button is pulled.

3. The foldable chair according to claim 1, wherein said joint assembly further
comprises a through channel connected to said through hole, and said control device
further comprises:

a control button;

a coupling device coupled with said control button;

a spring member disposed in said through channel; and

an adjustment block having a handle passing through said spring member and a side
opening of said through channel to couple with said coupling device;

wherein said adjustment block is engaged with a saw-tooth member formed on said
lower end of said support member when said control button is in a normal position,
and said adjustment block is disengaged with said saw-tooth member when said
control button is pushed.

4. The foldable chair according to claim 3, wherein said coupling device further
comprises:

a coupling rod connected said control button; and

a coupling link having a first arm coupled with said coupling rod and a second arm
coupled with said handle of said adjustment block.

5. The foldable chair according to claim 4, wherein said coupling device is housed in a

2 cavity formed in said joint assembly, said coupling link is pivotally mounted on a
3 sidewall of said cavity and said coupling rod is disposed in parallel with said handle.

1 6. The foldable chair according to claim 4, wherein said first arm is coupled with said
2 coupling rod by means of a through hole formed on said coupling rod, and said
3 second arm is coupled with said handle by means of a through hole formed on said
4 handle.

1 7. The foldable chair according to claim 1, wherein said leg assembly comprises a pair
2 of rear leg members each having an upper leg connected to one of said joint
3 assemblies, and a lower leg, said upper leg being receivable in said lower leg.

1 8. The foldable chair according to claim 1, further comprising a pair of straps each
2 connecting a rear end of an armrest to said reclining back, said straps having
3 adjustable length.

1 9. The foldable chair according to claim 1, wherein each armrest includes an elastic
2 portion.

1 10. The foldable chair according to claim 9, further comprising a pair of straps each
2 connecting a rear end of an armrest to said reclining back, said straps having
3 adjustable length.

1 11. The foldable chair according to claim 10, wherein elastic force of said pair of armrests
2 restores said reclining back from a reclining position to an upright position when no
3 weight is put on said reclining back and the rear ends of said armrests are adjusted to
4 a higher position by said straps.

1 12. The foldable chair according to claim 9, wherein said elastic portion is substantially
2 hidden in an envelope structure of said armrest.

1 13. The foldable chair according to claim 12, further comprising a pair of straps each
2 connecting a rear end of an armrest to said reclining back.

1

12